HÄFELE

home appliances 2018

Häfele Group since 1923

Our heritage

Häfele is a German family enterprise with our headquarters in Nagold, Germany. Founded in 1923, we are known internationally as the leading manufacturer and specialist in furniture fittings, architectural hardware and provider of kitchen solutions. With presence in 150 countries, we own factories in Germany and Hungary, and take pride in ensuring that all our products meet the high standards of European manufacturing.

Our presence

Over the years we have grown organically and now have 37 subsidiaries spread over 6 continents, including a strong presence in Asia. In 2015, the Häfele Group posted revenue in excess of 1.272 billion Euros, with 79% of sales coming from our foreign operations. We are proud to continue expanding our product availability directly from our headquarters in Germany to Distribution Centres in Asia and around the world, making Häfele a household name to remember.

contents

oven &
microwave
Page
04

hob
Page
08

hood
Page
16

washer &
dryer
Page
22

sink &
tap
Page
24

cookware
Page
35

oven & microwave

iconic series 06
oven 06
microwave oven 07
professional range cooker 07

design

- **direct touch control** technology requires only a light touch to activate functions
- **soft close-open** doors

performance

- **energy efficient class A+** rating
- H2O clean hydraulic **self-cleaning safety**

safety

- **cool touch** with up to 4 glazed doors to keep heat in while remaining cool on the outside
- **childproof lock** that automatically disables all functions

steam oven

Made in Europe

NEW

Häfele - HO-T60B · 535.02.711

Performance	Technical information
• 10 heating functions • 53 preset programs • Cook book, photo show • Oven capacity: 66 litres • Highlighted handle • I-cool front 35°C • Full touch TFT display • Oven cleaning Aqualytic cleaning system • Energy rating: A • Number of roasting trays: 2	• Dimensions of product: 595W x 575D x 595H mm • Cut-out dimensions: 560W x 560D x 600H mm • Grill: 2000W - Upper heater: 900W - Bottom heater: 1300W - Ring heater: 2000W

combined microwave oven

Made in Europe

NEW

Häfele - HO-KT45B · 535.02.731

Performance	Safety functions	Technical information
• 13 auto programs • Oven capacity: 44 litres • Full touch display • Defrost program • 5 power levels	• Child lock	• Total power: 3,35 kW • Dimensions of product: 595W x 575D x 595H mm • Cut-out dimensions: 560W x min550D x 600H mm

oven

Made in Europe

Häfele - HO-KT60A · 535.00.280

Performance	Safety functions	Technical information
• 9 automatic cooking programs • Cavity volume: 65 litres • Triple glass door with 1 reflective layer • 2 knobs and 1 display touch control • Hydrolytic cleaning system - H_20 Clean • Energy efficiency class A++ (EU) • Timer	• Child lock	• Total connect load: 3.3 kW • Interior oven light: 1 x 25 W • Appliance dimensions: 595H x 597W x 565D mm • Cut-out dimensions: 580H x 560W x 570D mm

oven

Made in Europe

Häfele - HO-K60A · 535.00.310

Performance	Technical information
• 6 automatic cooking programs • Cavity volume: 65 litres • Double glass door with 1 reflective layer • Knobs control • Timer	• Total connect load: 2.2 kW • Interior oven light: 1 x 25 W • Appliance dimensions: 595H x 597W x 565D mm • Cut-out dimensions: 580H x 560W x 570D mm

microwave oven

Häfele - HM-B38A · 535.34.000

Performance	Technical information
• 5 microwave power settings • 3 automatic combine programs • 2 defrost programs • Cavity volume: 25 litres • Button control and LED display • Electronic clock with timer • Interior light • Accessories included: 1 glass dish, 1 grid	• Total connect load: 1.45 kW • Appliance dimensions: 388H x 594W x 410D mm • Cut-out dimensions: 380H x 560W x 500D mm

professional range cooker

NEW

Häfele - HARC 1 · 534.02.003

Performance	Technical information	Acceserioes
• Cast iron pan support • 5 Sabaf burner cooking zone - One middle 2.8 Kw fish burner - Two front left & right 4.5kW triple ring burner - Two rear left & right 1.75kW semi rapid burner • Build in safety device	• Multifunction electric oven • Cavity 107 litres • 8 Function oven • 6 Key eletronic digital display timer • Build in tangential cooling fan • Build in 2 cooking fan • Removalable 4 layer side racks • Triple glazed oven glass door • Easy to clean black oven cavity • Energy Rating A • Dimensions: 900 x 600 x 900 mm	• 1 Universal oven pan • 1 Grill rack • 1 Rotisserie • 1 Tempered glass cover

hob

iconic series 10
induction hob 10
radiant hob 12
gas hob 14

performance

- **induction top** heats only at contact points and stops when pan is removed
- **slider control** to adjust to different heat levels
- **booster** increases heat by 50% through "borrowing" power from another zone

design

- **ceramic glass top**
- **bevelled glass sides**

safety

- **residual heat** indicator displays "h"
- when cooktop is switched off but still hot overflow safety device detects
- **overflows** and cooktop automatically switches off, with a warning sound

induction hob

NEW

Häfele - Domino Induction · 538.06.130

Performance	Safety functions	Technical information
• 2 inducton cooking zones: - Front zone : 150 mm - 1.5 kW - Rear zone : 190 mm - 2.0 kW • 30cm domino induction hob • 9 level power speeds • Touch control panel • Residual heat function • Automatic safety shut off	• Child lock	• Dimensions of product: 290W x 520D mm • Cut-out dimensions: 270W x 500D mm

NEW



Häfele - Induction Hob · 538.06.141

Performance	Safety functions	Technical information
• 4 inducton cooking zones: - Front left zone : 150 mm - 1.5 kW - Front right zone : 190 mm - 2.0 kW - Rear left zone : 190 mm - 2.0 kW - Rear right zone : 150 mm - 1.5 kW • 60cm 4 zone Induction Hob • Touch Control Panel • Residual Heat Function • 9 Level Power Speeds • Automatic safety shut off	• Child lock	• Dimensions of product: 590W x 520D mm • Cut-out dimensions: 570W x 500D mm

Made in Europe

Häfele - HC-I604B · 535.02.201

Performance	Safety functions	Technical information
• 4 inducton cooking zones: 220 x 190 mm - 2.2/3.5 kW (Booster) • Slider sensor control panel, 9 power levels • Booster function • Residual heat indicators • Bridge function • Stop & Go function	• Child lock	• Total power: 7.4 kW • Dimensions of product: 576W x 518D x 55H mm • Cut-out dimensions: 560W x 490D x min50H mm

induction hob

Made in Europe



Häfele - HC-I603B · 536.01.601

Performance	Safety functions	Technical information
• 3 induction cooking zones - Front left zone: 220 mm - 2.3/3.0 kW (Booster) - Rear left zone: 180 mm - 1.4 kW - Right zone: 270 mm - 2.3/3.0 kW (Booster) • SCHOTT ceramic glass top, 4 sides beveled • Slider control, 9 levels • Booster function • Automatic pan recognition sensor • Timer	• Child lock • Residual heat indicator • Overflow safety device system	• Total connect load: 6.7 kW • Appliance dimensions: 590W x 520D x 67H mm • Cut-out dimensions: 560W x 490D mm

Made in Europe



Häfele - HC-I773B · 536.01.595

Performance	Safety functions	Technical information
• 3 induction cooking zones - Left zone: 220 mm - 2.3/3.0 kW (Booster) - Middle zone: 180 mm - 1.4 kW - Right zone: 270 mm - 2.3/3.0 kW (Booster) • SCHOTT ceramic glass top, 4 sides beveled • Slider control, 9 levels • Booster function • Automatic pan recognition sensor • Timer	• Child lock • Residual heat indicator • Overflow safety device system	• Total connect load: 6.7 KW • Appliance dimensions: 770W x 450D x 68H mm • Cut-out dimensions: 710W x 410D mm

Made in Europe

Häfele - HC-I772A · 536.01.695

Performance	Safety functions	Technical information
• 2 induction cooking zones: - Left zone: 270 mm - 2.3/3.0 kW (Booster) - Right zone: 220 mm - 2.3/3.0 kW (Booster) • SCHOTT ceramic glass top, 4 sides bevelled • Slider Control, 9 levels • Booster function • Automatic pan recognition sensor • Timer	• Childproof lock • Residual heat indicator • Overflow safety device system	• Total connect load: 6.0 kW • Appliance dimensions: 770W x 450D x 68H mm • Cut-out dimensions: 710W x 410D mm

induction hob

Made in Europe



Häfele - HC-I302B · 536.01.670

Performance	Safety functions	Technical information
• 2 induction cooking zones - Front zone: 220 mm - 2.3/3.0 kW (Booster) - Rear zone: 180 mm - 1.4 kW • SCHOTT ceramic glass top, 2 sides beveled (front & rear) • Touch control, 9 levels • Booster function • Automatic pan recognition sensor • Timer	• Child lock • Residual heat indicator • Overflow safety device system	• Total connect load: 3.5 kW • Appliance dimensions: 298W x 520D x 68H mm • Cut-out dimensions: 275W x 500D mm

radiant hob

NEW



Häfele - Radiant Hob · 538.06.120

Performance	Safety functions	Technical information
• 2 radiant cooking zones - Front zone: 200 mm - 1.8 kW - Rear zone: 165 mm - 1.2 kW • 30cm domino ceramic hob • High quality tempered glass • Touch control panel • Residual heat indicator • 9 level power settings • Auto heating up function	• Child lock • Auto safety switch off function	• Appliance dimensions: 290W x 520D x 50H mm • Cut-out dimensions: 268W x 500D mm

NEW



Häfele - Radiant Hob · 538.06.121

Performance	Safety functions	Technical information
• 3 radiant cooking zones - Front zone: 200 mm - 1.8 kW - Rear zone: 165 mm - 1.2 kW - Rear right zone: 230mm - 1.0/2.1 kW • 60 cm 3 zone ceramic hob • Touch control panel • Residual heat function • 9 level power speeds • Auto heating up function	• Child lock • Auto safety switch off function	• Appliance dimensions: 590W x 520D mm • Cut-out dimensions: 570W x 500D mm

radiant hob

NEW



Häfele - 2 zone Radiant Hob · 538.06.175

Performance	Safety functions	Technical information
• 2 radiant cooking zones - Left zone: 230 mm - 1.15/2.3 kW - Right zone: 200 mm - 1.8 kW • 70 cm 2 zone ceramic hob • Touch control panel • Residual heat function • 5 level power speeds	• Child lock • Auto safety switch off function	• Appliance dimensions: 710W x 400D mm • Cut-out dimensions: 685W x 375D mm

Made in Europe



Häfele - HC-R603B · 536.01.631

Performance	Safety functions	Technical information
• 3 radiant cooking zones - Left zone: 140/210/270 mm - 1.05/1.95/2.7 kW - Rear right zone: 140 mm - 1.2 kW - Front right zone: 180 mm - 1.8 kW • SCHOTT ceramic glass top, 4 sides bevelled • Slider control, 9 levels • Timer	• Child lock • Residual heat indicator • Overflow safety device system	• Total connect load: 5.7 kW • Appliance dimensions: 590W x 520D x 67H mm • Cut-out dimensions: 560W x 490D mm

Made in Europe



Häfele - HC-R604A · 536.01.751

Performance	Safety functions	Technical information
• 4 radiant cooking zones: - Front left zone: 140 mm - 1.2 kW - Rear left zone: 210 mm - 2.3 kW - Rear right zone: 140 mm - 1.2 kW - Front right zone: 180 mm - 1.8 kW • SCHOTT ceramic glass top, 4 sides bevelled • Slider Control, 9 levels	• Childproof lock • Residual heat indicator • Overflow safety device system	• Total connect load: 6.5 kW • Appliance dimensions: 590W x 520D x 67H mm • Cut-out dimensions: 560W x 490D mm

radiant hob

Made in Europe

Häfele - HC-R772A · 536.01.795

Performance	Safety functions	Technical information
• 2 radiant cooking zones: - Left zone: 210/270 mm - 1.5/2.4 kW - Right zone: 180 mm - 1.8 kW • SCHOTT ceramic glass top, 4 sides bevelled • Touch Control, 9 levels	• Childproof lock • Residual heat indicator • Overflow safety device system	• Total connect load: 4.2 kW • Appliance dimensions: 770W x 450D x 68H mm • Cut-out dimensions: 710W x 410D mm

Made in Europe



Häfele - HC-R302A · 536.01.620

Performance	Safety functions	Technical information
• 2 radiant cooking zones - Front zone: 140 mm - 1.2 kW - Rear zone: 120/180 mm - 0.7/1.7 kW • SCHOTT ceramic glass top, 2 sides bevelled (front & rear) • Touch control, 9 levels	• Child lock • Residual heat indicator • Overflow safety device system	• Total connect load: 2.9 kW • Appliance dimensions: 298W x 520D x 68H mm • Cut-out dimensions: 275W x 500D mm

gas hob



Häfele - HC-G802A · 533.02.807

Performance	Safety functions	Technical information
• 2 gas burners - Left: 4.5 kW - Right: 4.5 kW • Tempered glass • Cast iron pan support • Knobs Control • Ignition by 1.5V battery (C size) • Burner made in Europe	• Flame failure device	• Appliance dimensions: 800W x 460D x 68H mm • Cut-out dimensions: 732W x 421D x 62H mm

gas hob

Häfele - HC-G863A · 533.02.829



Performance	Safety functions	Technical information
• 3 gas burners - Left: 4.5 kW - Center: 2.0 kW - Right: 4.5 kW • Tempered glass • Cast iron pan support • Knobs Control • Ignition by 1.5V battery (C size) • Burner made in Europe	• Flame failure device	• Appliance dimensions: 860W x 460D x 68H mm • Cut-out dimensions: 732W x 421D x 62H mm

hood

iconic series 18
verticle hood 18
island 18
wall-mounted 19
incline cooker hood 21
cooker hood 21

design

- **touch control panel**
- **soft LED lights**

performance

- **powerful technology** reduces steam, odour and grease
- **slanted filters** maximise filtering efficiency, with durable metal mesh

verticle hood

Made in Europe

Häfele - HH-WVG90A · 535.82.203

Performance	Technical information
• Material: black glass panel • Aspiration system: Suitable for ducted or recirculated extraction • Glass touch electronic control • 4 speeds • Aluminum grease filters • Energy rating: A+	• Max. suction power: 722 m³/h • Noise level: 55-70 dB • Lighting: LED 1 x 6.4 W • Connection rating: 255 W • Voltage: 220-240V • Dimensions of product: 900W x 455D x 995-1435H mm

Made in Europe

Häfele - HH-TVG90A · 539.81.065

Performance	Technical information
• Material: black and stainless steel glass • Aspiration system: suitable for ducted or re-circulated extraction • Touch Control • 3 stage • intensive power setting • Noise level: 38-48 dB • Accessories included: carbon filters	• Max. suction power: 1100 m³/h • Extraction rate IEC airflow: 757 m³/h • Connection rating: 250 W • LED lights: 2 x 2.5 W • Appliance dimensions: 875W x 120D x 742-1042H mm • Cut-out dimensions: 853W x 98D

island hood

Made in Europe

Häfele - HH-IG90A · 539.82.603

Performance	Technical information
• Aspiration system: suitable for ducted or re-circulated extraction • Touch Control, 3 levels • Noise level: 61 dB • Accessories included: carbon filters	• Max. suction power: 1200 m³/h • Connection rating: 250 W • LED lights: 4 x 1.5 W • Appliance dimensions: 900W x 600D x 723-1068H mm

island hood

Made in Europe

Häfele - HH-IG90B · 539.81.775

Performance	Technical information
• Material: black & stainless steel glass • Aspiration system: suitable for ducted or recirculated extraction • Touch control, 3 levels • Noise level: 44-62 dB • Accessories included: carbon filters	• Max.suction power: 1000m³/h • Extraction rate IEC: 603m³/h • Connection rating: 265 W • Voltage: 230-240V • LED lights: 2 x 2.5 W • Appliance dimensions: 898W x 598D x 680-985H mm

wall mounted

Made in Europe

Häfele - HH-WVG90A · 539.82.433

Performance	Technical information
• Aspiration system: recirculation or ducting • Touch control • 3 stage + intensive power setting • Noise level: 61 dB • Accessories included: carbon filters	• Max. suction power: 900 m³/h • Connection rating: 250 W • Halogen lights: 2 x 20 W • Appliance dimensions: • 900W x 380D x 1030-1515H m

Made in Europe

Häfele - HH-WG90A · 539.82.373

Performance	Technical information
• Aspiration system: suitable for ducted or re-circulated extraction • Touch Control, 3 levels • Noise level: 61 dB • Accessories included: carbon filters	• Max. suction power: 1200 m³/h • Connection rating: 250 W • LED lights: 2 x 1.5 W • Appliance dimensions: 900W x 490D x 665-1115H mm

wall mounted

Made in Europe

Häfele - HH-WIT90A · 539.82.392

Performance	Technical information
• Aspiration system: suitable for ducted or re-circulated extraction • Touch control, 3 levels • Noise level: 61 dB • Accessories included: carbon filters	• Max. suction power: 1200 m³/h • Connection rating: 250 W • Halogen lights: 2 x 20 W • Appliance dimensions: 600W x 480D x 690 - 1155H mm

Häfele - HH-WG90D · 538.86.203

Performance	Technical information	Acceserioes
• Aspiration system: suitable for ducted or re-circulated extraction • Touch control, 3 levels • Noise level: 61 dB • Accessories included: Inox baffle filter (2 pcs)	• Max. suction power: 1350m³/h • Connection rating: 233 W • LED lights: 2 x 1.5 W • Appliances dimensions: 900W x 470D x 540-990H mm	• Aluminum 8ft ducting • Stainless steel vent cap • Charcoal filter

Häfele - HH-WGT90A · 538.86.213

Performance	Technical information	Acceserioes
• Aspiration system: suitable for ducted or re-circulated extraction • Touch control, 3 levels • Noise level: 61 dB • Accessories included: Inox baffle filter (3 pcs)	• Max. suction power: 1350m³/h • Connection rating: 233 W • LED lights: 2 x 1.5 W • Appliances dimensions: 900W x 500D x 520-970H mm	• Aluminum 8ft ducting • Stainless steel vent cap • Charcoal filter

incline cooker hood

Häfele - HH-WVG90E · 538.86.223

Performance	Technical information	Acceserioes
• Aspiration system: suitable for ducted or re-circulated extraction • Touch control, 3 levels • Noise level: 61 dB • Accessories included: Inox mesh filter (1 pc) + carbon filter (2 pcs)	• Max. suction power: 1350m³/h • Connection rating: 233 W • LED lights: 2 x 1.5 W • Appliances dimensions: 900W x 430D x 830-1150H mm	• Aluminum 8ft ducting • Stainless steel vent cap • Charcoal filter

cooker hood

NEW



Häfele - Telescopic Hood · 538.86.031

Performance	Technical information	Acceserioes
• 60cm Telescopic Hood • 2 pcs of 5 layer aluminium filter • Suction power 700m³/hr • Rated motor 1 x 65w • Stainless steel 430 SS body • 2 Speed rocker switch • Noise level below 50dB • Lighting 2 x 40w bulbs • Installation – Vented /Recycling	• Appliance dimensions: 595W x 281D x 200H mm • Cut-out dimensions: 549W x 281D x 200H mm	• Charcoal filter

NEW

Häfele - Telescopic Hood · 538.86.033

Performance	Technical information	Acceserioes
• 90cm Telescopic Hood • 2 pcs of 5 layer aluminium filter • Suction power 700m³/hr • Stainless steel 430 SS body • 2 Speed rocker switch • Noise level below 50dB • Lighting 2 x 40w bulbs • Installation – Vented /Recycle	• Appliance dimensions: 595W x 281D x 200H mm • Cut-out dimensions: 549W x 281D x 200H mm	• Charcoal filter

combi washer dryer

NEW

Häfele - Combi Washer · 538.91.040

Performance	Technical information
• Washing capacity 8kg • Drying capacity 6kg • Max. spin speed 1400 rpm • Brushless DC electric motor • LED white digital display • Electromagnetic lock • Energy efficiency A class • 16 programs • Delay timer • White color	• Rated power 1900W • 1800 door opening angle • 510mm inner tub size • 310mm door size • 480mm outer frame door size • Product Size : 595W x 470D x 850H mm

vented dryer

NEW

Häfele - Vented Dryer · 538.91.020

Performance	Technical information
• Drying capacity 7kg • LED red light display • Electronic control type • Sensor dry • Energy efficiency class B • Rear air vent direction • Buzzer sound when cycle ends • Venting hose included • Child lock function • 4 fabric care cycles • Delay timer • Anti crease function • Noise level 60dB • Adjustable feet	• 180 door opening angle • Product Size : 595W x 550D x 840H mm

HAFELE
HAFELE

sink & tap

granite sink 26
inox sink 29
granite tap 31
chrome tap 33

design

- **80% natural quartz,** which is the strongest component of granite
- **choice of colours** for an elegant finish to your kitchen

performance

- **heat resistant up to 280°C**
- **shock resistant and chemical** resistant against discolouration stains
- **scratch resistant** and easy to maintain high shine

safety

- **antibacterial against** mould, odour protection

granite sink 80 cm

Made in Europe

Häfele - HS-G11650 · carbon · 565.83.341

Performance	Technical information
• Anti-Bacterial • Heat Resistance • Shock Resistance • Chemical Resistance • Scratch Resistance • East To Clean	• Material: Granite • Bowl depth: 205 mm • Overal dimensions: 1160W x 500D mm • Bowls dimension: 340W x 420D mm • Packing: 1 set odour trap

Made in Europe

Häfele - HS-G11650 · snow · 565.83.741

Performance	Technical information
• Anti-Bacterial • Heat Resistance • Shock Resistance • Chemical Resistance • Scratch Resistance • East To Clean	• Material: Granite • Bowl depth: 205 mm • Overal dimensions: 1160W x 500D mm • Bowls dimension: 340W x 420D mm • Packing: 1 set odour trap

Made in Europe



Häfele - HS-G11650 · mocha · 565.83.241

Performance	Technical information
• Anti-Bacterial • Heat Resistance • Shock Resistance • Chemical Resistance • Scratch Resistance • East To Clean	• Material: Granite • Bowl depth: 205 mm • Overal dimensions: 1160W x 500D mm • Bowls dimension: 340W x 420D mm • Packing: 1 set odour trap

granite sink 80 cm

Made in Europe

Häfele - HS-G8650 · carbon · 565.83.351

Performance	Technical information
• Anti-Bacterial • Heat Resistance • Shock Resistance • Chemical Resistance • Scratch Resistance • East To Clean	• Material: Granite • Bowl depth: 210 mm • Overal dimensions: 860W x 500D mm • Bowls dimension: 300W x 360D mm /450W x 420D mm • Packing: 1 set with odour trap

Made in Europe

Häfele - HS-G8650 · snow · 565.83.751

Performance	Technical information
• Anti-Bacterial • Heat Resistance • Shock Resistance • Chemical Resistance • Scratch Resistance • East To Clean	• Material: Granite • Bowl depth: 210 mm • Overal dimensions: 860W x 500D mm • Bowls dimension: 300W x 360D mm /450W x 420D mm • Packing: 1 set with odour trap

Made in Europe

Häfele - HS-G8650 · mocha · 565.83.251

Performance	Technical information
• Anti-Bacterial • Heat Resistance • Shock Resistance • Chemical Resistance • Scratch Resistance • East To Clean	• Material: Granite • Bowl depth: 210 mm • Overal dimensions: 860W x 500D mm • Bowls dimension: 300W x 360D mm /450W x 420D mm • Packing: 1 set with odour trap

granite sink 50 cm

Made in Europe

Häfele - HS-G4650 · carbon · 565.84.391

Performance	Technical information
• Anti-Bacterial • Heat Resistance • Shock Resistance • Chemical Resistance • Scratch Resistance • East To Clean	• Material: Granite • Color: Carbon • Bowl depth: 205mm • Overal dimensions: 564mm x 494mm • Bowls dimension: 500mm x 400mm • Packing: 1 set with odour trap

Made in Europe

Häfele - HS-G7650 · carbon · 565.84.341

Performance	Technical information
• Anti-Bacterial • Heat Resistance • Shock Resistance • Chemical Resistance • Scratch Resistance • East To Clean	• Material: Granite • Color: Carbon • Bowl depth: 205mm • Overal dimensions: 860mm x 500mm • Bowls dimension: 790mm x 400mm • Packing: 1 set with odour trap

inox sink

Häfele -HS-S5447 · 567.40.090

Performance	Technical information
• Type: Single Bowl • Installation: Top Mount • Material: Stainless steel	• Overal dimensions: 540W x 470D mm • Thickness: 1.2mm • Packing: 1 set odour trap

Häfele - HS-S8251 · 567.40.080

Performance	Technical information
• Type: Single Bowl • Installation: Top Mount • Material: Stainless steel	• Overal dimensions: 820W x 510D mm • Thickness: 1.2mm • Packing: 1 set odour trap

Häfele - HS-S8657 · 567.40.050

Performance	Technical information
• Type: Single Bowl • Installation: Top Mount • Material: Stainless steel	• Overal dimensions: 860W x 570D mm • Thickness: 1.2mm • Packing: 1 set odour trap

Häfele -HS-S4444 · 567.20.230

Performance	Technical information
• Type: Single Bowl • Installation: Under Mount • Material: Stainless steel	• Overal dimensions: 440W x440D mm • Thickness: 1.2mm • Packing: 1 set odour trap

Häfele - HS-S8247 · 567.43.080

Performance	Technical information
• Type: Single Bowl • Installation: Under Mount • Material: Stainless steel	• Overal dimensions: 820W x470D mm • Thickness: 1.2mm • Packing: 1 set odour trap

Häfele - HS-S8647 · 567.43.050

Performance	Technical information
• Type: Single Bowl • Installation: Under Mount • Material: Stainless steel	• Overal dimensions: 860W x470D mm • Thickness: 1.2mm • Packing: 1 set odour trap

granite tap

Made in Europe

NEW

Häfele - HF-G401 · mocha · 569.15.401

Performance

- Material: Granite & chrome surface
- Color: Mocha
- Cold & hot water mixer
- Extendable spray head
- Packing: full set

Made in Europe

NEW

Häfele - HF-G411 · mocha · 569.15.411

Performance

- Material: Granite & chrome surface
- Color: Mocha
- Cold & hot water mixer
- Extendable spray head
- Packing: full set

ade in Europe

NEW

Häfele - HF-GI501· iron grey · 569.15.501

Performance

- Material: Granite & chrome surface
- Color: Iron grey
- Cold & hot water mixer
- Extendable spray head
- Packing: full set

granite tap

Made in Europe

NEW

Häfele - HF-GI511· iron grey · 569.15.511

Performance

- Material: Granite & chrome surface
- Color: Iron grey
- Cold & hot water mixer
- Extendable spray head
- Packing: full set

Made in Europe

NEW

Häfele - HF-GC301 · carbon · 569.15.301

Performance

- Material: Granite & chrome surface
- Color: Carbon
- Cold & hot water mixer
- Extendable spray head
- Packing: full set

ade in Europe

NEW

Häfele - HF-GC311 · carbon · 569.15.311

Performance

- Material: Granite & chrome surface
- Color: Carbon
- Cold & hot water mixer
- Extendable spray head
- Packing: full set

chrome tap

Made in Europe

NEW

Häfele - HF-C201I · 569.15.201

Performance

- Material: Chrome surface
- Cold & hot water mixer
- Extendable spray head
- Packing: full set

Made in Europe

NEW

Häfele - HF-C211I · 569.15.211

Performance

- Material: Chrome surface
- Cold & hot water mixer
- Extendable spray head
- Packing: full set

Häfele - HF-C231V · 566.32.231

Performance

- Cold & hot water mixer
- Chrome surface
- Packing: 1 set

chrome tap

Häfele - HF-C211V · 566.32.211

Performance

- Cold & hot water mixer
- Chrome surface
- Extendable spray head
- Packing: 1 set

Häfele - HF-C240V · 566.32.240

Performance

- Cold & hot water mixer
- Chrome surface
- Extendable spray head
- Packing: 1 set

Häfele -HF-C201V · 566.32.201

Performance

- Cold & hot water mixer
- Chrome surface
- Packing: 1 set

Häfele - HF-C221V · 566.32.221

Performance

- Cold & hot water mixer
- Chrome surface
- Packing: 1 set

cookware

Knife Set · 531.01.001

Performance	Packaging
• Precise laser cut stainless steel blade • Ergonomically designed • Durable, non-slip handle • Perfect for preparing • Perfectlyinto the acrylic stand • Material: stainless steel	• 20 cm chef knife • 20 cm bread knife • 17,5 cm cleaver knife • 12,5 cm utility knife • 9 cm paring knife • Sharpener, scissor • 360 ° acryl stand • Colour: Burgundy red

28cm Wok- Rose Gold Collection ·531.08.020

Performance	Packaging
• 3 layer marble coating • Ergonomic soft touch handle • Induction base • Elegant design • Eco friendly • Pfoa, lead, cadium free	• Material: forged aluminium • Size: Wok Ø28 cm • Color: Rose gold

Turbo cooker pressure 6l·Stainless steel·531.08.030

Performance
• Material: 304 = 18/10 Stainless steel • Capacity: 6L • Stainless steel body • Turbo induction bottom • Dishwaser safe easy to clean!

technical functions

hob & hood

- slider control
- automatic pan recognition sensor
- timer
- booster function
- warranty
- touch control
- battery ignition
- LED light
- sensor
- halogen light
- LCD display
- child lock

oven

- energy label
- fan defrost
- half width variable grill
- full width variable grill
- lower heating element and fan
- conventional top and bottom heat
- fan assisted natural convection
- fan forced
- fan assisted grill
- lower heating element
- cool touch doors
- TFT display
- H2O clean
- pyrolytic
- defrost

washer/ dryer

- warranty
- loading capacity 7 kg
- loading capacity 8/6 kg
- automatic child lock
- energy label
- LCD display
- timer
- sensor
- Overflow and leakage protection
- Delay timer
- Extra drying



technical dimension



535.02.711 · Pg 06



535.02.731 · Pg 06



535.00.280 · Pg 06 - 535.00.310 · Pg 07



535.34.000 · Pg 07



534.02.003 · Pg 07



538.06.130 · Pg 10



538.06.141 · Pg 10



535.02.201 · Pg 10



536.01.601 · Pg 11 - 536.01.631 · Pg 13
536.01.751 · Pg 13



536.01.595 · Pg 11 - 536.01.695 · Pg 11
536.01.795 · Pg 14



536.01.670 · Pg 12 - 536.01.620 · Pg 14



538.06.120 · Pg 12



538.06.121 · Pg 12



538.06.175 · Pg 13



533.02.807 · Pg 14



533.02.829 · Pg 15



535.82.203 · Pg 18



539.81.065 · Pg 18



539.82.603 · Pg 18



539.81.775 · Pg 19



539.82.433 · Pg 19



539.82.373 · Pg 19



539.82.392 · Pg 20

538.86.203 · Pg 20



538.86.213 · Pg 20



538.86.223 · Pg 21



538.86.031 · Pg 21



538.86.033 · Pg 21



538.91.040 · Pg 22



538.91.020 · Pg 22



565.83.341 - 565.83.741 - 565.83.241 · Pg 26



565.83.351 - 565.83.751 - 565.83.251 · Pg 27



565.84.391 · Pg 28



565.84.341 · Pg 28



567.40.090 · Pg 29



567.40.080 · Pg 29



567.40.050 · Pg 29



567.20.230 · Pg 30



567.43.080 · Pg 30



567.43.050 · Pg 30



569.15.401 · Pg 31



569.15.411 · Pg 31



569.15.501 · Pg 31



569.15.511 · Pg 32



569.15.301 · Pg 32



569.15.311 · Pg 32



569.15.201 · Pg 33



569.15.211 · Pg 33



566.32.231 · Pg 33



566.32.211 · Pg 33



566.32.240 · Pg 34



566.32.201 · Pg 34



566.32.221 · Pg 34

HÄFELE

Häfele Malaysia Sdn Bhd

KL Head Office
No. 18 Jalan Juruhebah U1/50 Seksyen U1, Temasya Industrial Park, 40150 Shah Alam, Selangor, Malaysia
Phone: +603 5569 2526 | Fax: +603 5569 3526 | Email: info@hafele.com.my

KL Design Centre
No.42, Jalan SS21/1 Damansara Utama, 47400 Petaling Jaya, Selangor, Malaysia
Phone: +603 7733 4526 / 7733 6526 | Fax: +603 7733 3526
Email: info@hafele.com.my

Penang Showroom
No.51, Jalan Kelawei, 10250 Pulau Pinang, Malaysia
Phone: +604 229 4526 / 229 6526 | Fax: +604 229 2526
Email: hafelepenang@hafele.com.my

Sabah Office & Showroom
4.2 & 4.3 Neutron Point, Lorong Point Neutron, Jalan Lintas Khidmat, 88300 Kota Kinabalu, Sabah, Malaysia
Phone: +6088 380 533 | Fax: +6088 386 533 | Email: hafelesabah@hafele.com.my

www.hafele.com.my

732.04.011 - Nov17

HÄFELE

PRICE LIST

Article No.	Price (RM)	Page
535.02.711	13920	6
535.02.731	6864	6
535.00.280	3553	6
535.00.310	2757	7
535.34.000	1531	7
534.02.003	8699	7
538.06.130	2299	10
538.06.141	4299	10
535.02.201	5424	10
536.01.601	3493	11
536.01.595	4130	11
536.01.695	4039	11
536.01.670	2342	12
538.06.120	1599	12
538.06.121	2799	12
538.06.175	2299	13
536.01.631	2882	13
536.01.751	3046	13
536.01.795	2574	14
536.01.620	1784	14
533.02.807	1029	14
533.02.829	1330	15
535.82.203	5592	18
539.81.065	11999	18
539.82.603	4196	18
539.81.775	3899	19
539.82.373	2692	19
539.82.392	1758	20
538.86.203	2199	20
538.86.213	1999	20
538.86.223	2399	21
538.86.031	999	21
538.86.033	1199	21

Article No.	Price (RM)	Page
538.91.040	5899	22
538.91.020	2399	22
565.83.341	2060	26
565.83.741	2060	26
565.83.241	2060	26
565.83.351	1731	27
565.83.751	1731	27
565.83.251	1731	27
565.84.391	1588	28
565.84.341	1766	28
567.40.090	1005	29
567.40.080	1801	29
567.40.050	2132	29
567.20.230	855	30
567.43.080	1801	30
567.43.050	2132	30
569.15.401	1825	31
569.15.411	1840	31
569.15.501	1825	31
569.15.511	1840	32
569.15.301	1825	32
569.15.311	1840	32
569.15.201	1680	33
569.15.211	1680	33
566.32.231	496	33
566.32.211	496	34
566.32.240	402	34
566.32.201	684	34
566.32.221	333	34
531.01.001	199	35
531.08.020	189	35
531.08.030	499	35