

HÄFELE



SMART DIGITAL LOCK





Smart

YOU'RE ALWAYS HOME

Häfele's smart locks come with advanced features making your life easier, since you no longer depend on mechanical keys which are easy to lose, to be stolen and duplicated. Accessing your home is much easier, quicker, and safer with your smart-cards, passwords, fingerprints, and cellphone being the key. The locks' cutting-edge security technologies, meanwhile, help protect your home from break-in risks. Your life is now not only more convenient but secure as well.



P. 08
PP 8100



P. 10
EL 9500



P. 12
EL 7700



P. 14
EL 9000



P. 16
EL 7200



P. 18
EL 8000



P. 20
ER 5100



P. 22
ER 4850/3



P. 24
ER 4800



P. 26
ER 4600



P. 28
ER 4400



P. 28
SMART
MORTISE



P. 34
SMART
KEYBOX



HÄFELE - WHERE TRUST WAS BUILT FROM COMPETENCE



Founded in Germany in 1923, Häfele is a world-renowned provider of smart home and project solutions. Häfele's superior range of products not only exemplifies German quality standards, but is developed with the philosophy of "functionality" and "easiness" in mind to offer reliable solutions for both professionals and consumers.

Since the establishment in Malaysia in 1993, Häfele has been continuously improving and expanding its products and services, making the key components of Malaysian homes - door security as well as kitchen, wardrobe and the home appliances to a much more efficient spaces.

With innovative solutions, adherence to high standards and a dedicated team, Häfele Malaysia looks to create more modern and optimal living spaces for Malaysia today and in the future.






HÄFELE



DIGITAL LOCK **PP8100**

Art. No 912.05.697 | MYR 2,980



Drawing dimension in mm



*Price is subject to change without prior notice *Price listed is exclusive of sales and service tax (SST)

PP8100 FEATURES

Dimension

- > Door thickness 38 - 90 mm
- > Front 78.5 (W) x 394 (H) x 69.5 (D) mm
- > Back 78.5 (W) x 394 (H) x 69.5 (D) mm

Material

- > AL, ZN, ABS





Operation

- > Register up to 100 fingerprint
- > Register up to 100 smart card
- > Register up to 10 password
- > 1 master password
- > Color: Black
- > Manage by master password & user password
- > Double verification function by combine 2 in 3 access ways (Fingerprint/ password/ smart key tag)
- > Password exposure-proof function by using fake pin code
- > Build-in privacy mode from indoor
- > More safety with away mode
- > Automatic and manual locking mode are changeable
- > Freezing in 5 minutes after the wrong code entry limit 10 times
- > Voice guide (English/ Chinese)
- > Low battery alarm function
- > Silence mode can be activated when needed
- > Smart home integration with Z-wave module

Supplied with

- > 1 x Front & rear module
- > 1 x Mortise lock & striking plate (left & right)
- > 1 x Set of fixing material
- > 1 x User manual
- > 1 x Installation template
- > 8 x AA alkaline battery
- > 2 x Smart card
- > 2 x Smart key tag
- > 2 x Mechanical key

Mode of access


-  Fingerprint
-  Smart card
-  Password
-  Mechanical key



DIGITAL LOCK **EL9500**

PUSH PULL Concept Digital Door Lock

Art. No 912.05.315 | MYR 3,450



Drawing dimension in mm



*Price is subject to change without prior notice *Price listed is exclusive of sales and service tax (SST)

EL9500 FEATURES

Dimension

- > Door thickness 40 - 90 mm
- > Front 88(W) x 396(H) x 40(D) mm
- > Back 83.7(W) x 373(H) x 38.7(D) mm

Material

- > AL, ZN, ABS

Operation





- > Register up to 200 fingerprints
- > Register up to 20 smart card
- > Register up to 10 password
- > Color: Dark grey
- > Operation temperature: $\sim -15^{\circ}\text{C} \sim 60^{\circ}\text{C}$
- > Power: 8 AA alkaline battery
- > Emergency power: DC9V alkaline battery (not included)


- > Mechanical key for emergency access
- > Free direction push-pull handle
- > Double locking function
- > Auto re-lock function
- > Smart auto safety function
- > Voice guide
- > Status checking guide
- > Trespass alarm function
- > Low alkaline battery warning function
- > Wireless interlock function

Supplied with

- > 1 x Front & rear module
- > 1 x Mortise lock & striking plate
- > 1 x Set of fixing material
- > 1 x User manual
- > 1 x Installation template
- > 8 x AA alkaline battery
- > 2 x Smart card
- > 2 x Smart key tag
- > 2 x Smart sticker
- > 3 x Mechanical key


Mode of access

-  Fingerprint
-  Smart card
-  Password
-  Mechanical key



DIGITAL LOCK **EL7700**

Art. No 912.05.719 | MYR 1,999



Drawing dimension in mm



*Price is subject to change without prior notice *Price listed is exclusive of sales and service tax (SST)

EL7700 FEATURES

Dimension

- > Door thickness 38 - 90 mm
- > Front 75.5(W) x 234.5(H) x 18.5(D) mm
- > Back 78(W) x 232(H) x 30(D) mm

Material

- > AL, ZN, PC, ABS
- > Surface treatment: Triple metallic coating





Operation

- > Register up to 200 fingerprint
- > Register up to 50 smart card
- > Color: Black
- > Operation temperature: $\sim 20^{\circ}\text{C} \sim 50^{\circ}\text{C}$
- > Power: 4 AA alkaline battery
- > Emergency power: DC9V alkaline battery (not included)
- > Password exposure-proof function
- > Mechanical key for emergency access
- > Set in auto mode or manual mode
- > Adjustable volume level/ mute sound to higher sound
- > Built-in electric shock prevention circuits of higher-voltage
- > Integrated with fire sensor
- > Reset function
- > External 9V emergency alkaline battery terminal
- > Low alkaline battery power and malfunction alert

Supplied with

- > 1 x Front & rear module
- > 1 x Mortise lock & striking plate
- > 1 x Set of fixing material
- > 1 x User manual
- > 1 x Installation template
- > 4 x AA alkaline battery
- > 2 x Smart card
- > 2 x Smart key tag
- > 2 x Smart sticker
- > 3 x Mechanical key


Mode of access

-  Fingerprint
-  Smart card
-  Password
-  Mechanical key



DIGITAL LOCK **EL9000**

Art. No 912.05.360 | MYR 2,205



Drawing dimension in mm



*Price is subject to change without prior notice *Price listed is exclusive of sales and service tax (SST)

EL9000 FEATURES

Dimension

- > Door thickness 40 - 50mm
- > Front 76(W) x 306(H) x 28(D) mm
- > Back 71(W) x 298.6(H) x 30.7(D) mm





Operation

- > Register up to 100 fingerprint
- > Register up to 50 smart card
- > Register up to 10 password
- > Mechanical key for emergency access
- > Volume control function of operating sound 8 steps
- > Random security coding function
- > Panic release handle type
- > Free door handle direction
- > Auto locking function
- > Auto re-locking function
- > Movement indicating sound
- > Low alkaline battery warning function
- > Secret code back up function
- > Intrusion warning function
- > Mischief and hacking prevention system
- > Disable lost smart card
- > Double locking function
- > Safety design against fire
- > Basket 70 mm
- > Made in Korea

Supplied with

- > 1 x Front & rear module
- > 1 x Mortise lock & striking plate
- > 1 x Set of fixing material
- > 1 x User manual
- > 1 x Installation template
- > 8 x AA alkaline battery
- > 2 x Smart sticker
- > 3 x Mechanical key


Mode of access

-  Fingerprint
-  Smart card
-  Password
-  Mechanical key



DIGITAL LOCK **EL7200**

Art. No 912.05.714 | MYR 1,599



Drawing dimension in mm



*Price is subject to change without prior notice *Price listed is exclusive of sales and service tax (SST)

EL7200 FEATURES

Dimension

- > Door thickness 35 - 90mm
- > Front 76.7(W) x 304.6(H) x 24(D) mm
- > Back 78.5(W) x 310.5(H) x 35(D) mm

Material

- > AL, ZN, PC, ABS
- > Surface treatment: Triple metallic coating

Operation




- > Register up to 50 smart card
- > User password and master password
- > Mechanical key for emergency access
- > Color: Black
- > Operation temperature: ~-20°C~50°C
- > Power: 8 AA alkaline battery
- > Emergency power: DC9V alkaline battery (not included)
- > Indoor/ outdoor dual-locking function

- > Password exposure-proof function
- > Set in auto or manual mode
- > Adjustable volume level/ mute sound to higher sound
- > External 9V emergency alkaline battery terminal
- > Low voltage warning and malfunction alert
- > Built-in electric shock prevention circuits of higher-voltage
- > Integrated with fire sensor
- > Reset function
- > Remote or home automation is optional (additional charge)

Supplied with

- > 1 x Front & rear module
- > 1 x Mortise lock & striking plate
- > 1 x Set of fixing material
- > 1 x User manual
- > 1 x Installation template
- > 8 x AA alkaline battery
- > 2 x Smart card
- > 2 x Smart key tag
- > 2 x Smart sticker
- > 3 x Mechanical key


Mode of access

-  Smart card
-  Password
-  Mechanical key



DIGITAL LOCK **EL8000**

Art. No 912.05.359 | MYR 1,501



Drawing dimension in mm



*Price is subject to change without prior notice *Price listed is exclusive of sales and service tax (SST)

EL8000 FEATURES

Dimension

- > Door thickness 40 - 50mm
- > Front 76(W) x 306(H) x 28(D) mm
- > Back 71(W) x 298.6(H) x 30.7(D) mm




Operation


- > Register up to 8 secret code
- > Register up to 20 smart card
- > Volume control function of operating sound 8 steps
- > Movement indicator in 8 different colors
- > Random security coding function
- > Panic release handle type
- > Free door handle direction
- > Auto locking function
- > Auto re-locking function
- > Auto/ manual locking mode selectable
- > Movement indicating sound
- > Low alkaline battery warning function
- > Secret code back up function
- > Power saving mode
- > Intrusion warning function
- > Mischief and hacking prevention system
- > Disable lost Smart card
- > Double locking function
- > Safety design against fire
- > Basket 70 mm
- > Made in Korea

Supplied with

- > 1 x Front & rear module
- > 1 x Mortise lock & striking plate
- > 1 x Set of fixing material
- > 1 x User manual
- > 1 x Installation template
- > 8 x AA alkaline battery
- > 2 x Smart card
- > 2 x Smart key tag
- > 3 x Mechanical key


Mode of access

-  Smart card
-  Password
-  Mechanical key



DIGITAL LOCK **ER5100**

Art. No 912.05.319 | MYR 1,499



Drawing dimension in mm



*Price is subject to change without prior notice *Price listed is exclusive of sales and service tax (SST)

ER5100 FEATURES

Dimension

- > Door thickness 30 - 50mm
- > Front 71 (W) x 172 (H) x 13 (D) mm
- > Back 77 (W) x 200 (H) x 48 (D) mm

Material

- > AL, ZN, PC, ABS

Operation

- > Register up to 100 fingerprint
- > Register up to 100 smart card
- > 1 master password
- > Register up to 20 user password
- > Manage by master password & user password
- > Password exposure-proof function by using fake pin code
- > Build-in privacy mode from indoor
- > More safety with away mode
- > Reset function
- > Automatic and manual locking mode are changeable
- > One touch locking from outside
- > Freezing in 5 minutes after the wrong code entry limit 10 times
- > Voice guide (English/ Spanish/ Turkish/ French/ Chinese)
- > Build-in electric shock prevention
- > Low battery alarm function
- > Silence mode can be activated when needed

Supplied with

- > 1 x Front & rear module
- > 1 x Set of fixing material
- > 1 x User manual
- > 1 x Installation template
- > 4 x AA alkaline battery
- > 2 x Smart card
- > 2 x Smart key tag

Mode of access



Fingerprint



Smart card




Password



DIGITAL LOCK **ER4850/3**

Art. No 912.05.538 | MYR 1,399



Drawing dimension in mm



ER4850/3 FEATURES

Dimension

- > Door thickness 40 - 50 mm
- > Front 70.5 (W) x 164.25 (H) x 27.4 (D) mm
- > Back 63 (W) x 96 (H) x 46 (D) mm




Operation

- > Register up to 200 fingerprint
- > Register up to 50 smart card
- > Password exposure-proof function
- > Set in auto mode or manual mode
- > Adjustable volume level
- > Intergrated with fire sensor
- > Built-in electric shock prevention
- > circuits of high-voltage
- > Reset function
- > External 9V Emergency battery terminal
- > Low battery power and malfunction alert

Supplied with

- > 1 x Front & rear module
- > 1 x Set of fixing material
- > 1 x User manual
- > 1 x Installation template
- > 4 x AA alkaline battery
- > 2 x Smart card
- > 2 x Smart key tag
- > 2 x Smart sticker


Mode of access

-  Fingerprint
-  Smart card
-  Password



DIGITAL LOCK **ER4800**

Art. No 912.05.361 | MYR 903



Drawing dimension in mm



*Price is subject to change without prior notice *Price listed is exclusive of sales and service tax (SST)

ER4800 FEATURES

Dimension

- > Door thickness 40 -50mm
- > Front 71.8(W) x 163.6(H) x 18.4(D) mm
- > Back 154(W) x 93(H) x 37(D) mm

Operation

- > Register up to 50 smart card
- > Register up to 10 password
- > Two way solution
- > Random security coding function
- > Auto locking function
- > Auto re-locking function
- > One touch button suspension function (lock/ unlock button)
- > Low alkaline battery warning function
- > Volume control function
- > Movement indicator sound
- > Intrusion warning function
- > Mischief and hacking prevention system
- > Double locking function
- > Made in Korea

Supplied with

- > 1 x Front & rear module
- > 1 x Set of fixing material
- > 1 x User manual
- > 1 x Installation template
- > 4 x AA alkaline battery
- > 4 x Smart key tag


Mode of access



Smart card




Password



DIGITAL LOCK **ER4600**

For Metal Gate

Art. No 912.05.721 | MYR 1,799



Drawing dimension in mm



*Price is subject to change without prior notice *Price listed is exclusive of sales and service tax (SST)

ER4600 FEATURES

Dimension

- > Door thickness 25 - 50 mm
- > Front 70.5(W) x 169.5(H) x 62(D) mm
- > Back 72.4(W) x 178.4(H) x 20(D) mm

Material

- > AL, ZN, PC, ABS
- > Surface treatment: Triple metallic coating





Supplied with

- > 1 x Front & rear module
- > 1 x Set of fixing material
- > 1 x User manual
- > 1 x Installation template
- > 4 x AA alkaline battery
- > 2 x Smart card
- > 2 x Smart key tag
- > 2 x Smart sticker
- > 2 x Remote control
- > 3 x Mechanical key

Operation

- > Register up to 50 smart card
- > User password & master password
- > Register up to 15 remote control
- > Color: Black
- > Password exposure-proof function
- > Change in auto/ manual mode
- > Adjustable volume level
- > External 9V emergency alkaline battery terminal
- > Build-in electric shock prevention circuits of high-voltage
- > Integrated with fire sensor
- > Reset function
- > Mechanical key for emergency access

Mode of access


-  Smart card
-  Password
-  Remote control
-  Mechanical key



DIGITAL LOCK **ER4400**

For Glass Door

Art. No 912.05.701 | MYR 1,339



Drawing dimension in mm



*Price is subject to change without prior notice *Price listed is exclusive of sales and service tax (SST)

ER4400 FEATURES

Dimension

- > Door thickness 11-12mm
- > Front 64 x 165 x 18mm
- > Back 72.4 x 174.4 x 47.65mm

Material

- > AL, ZN, PC, ABS
- > Surface treatment: Triple metallic coating

Supplied with

- > 1 x Front & rear module
- > 1 x Set of fixing material
- > 1 x User manual
- > 1 x Installation template
- > 4 x AA alkaline battery
- > 2 x Smart card
- > 2 x Smart key tag
- > 2 x Smart sticker
- > 2 x Remote control
- > 3 x Mechanical key

Operation

- > Register up to 50 smart card
- > Register up to 15 remote control
- > User password & master password
- > Color: Black
- > Operation temperature: ~-20°C~50°C
- > Power: 4 AA alkaline battery
- > Emergency power: DC9V alkaline battery (not included)
- > Indoor/ outdoor dual-locking function

- > Applicable to left handed-door or right handed-door by adopting hinge
- > Change in auto/ manual mode
- > Adjustable volume level/ mute sound to higher sound
- > Password exposure-proof function
- > Auto re-locking function after 8 seconds if the door is not opened
- > Built-in electric shock prevention circuits of high-voltage
- > Integrated with fire sensor
- > External 9V emergency alkaline battery terminal
- > Reset button in the outdoor body

Mode of access



Smart card



Password



Remote control

Optional

Glass clip holder

Art. No 912.05.730 | MYR 160



ESSENTIAL IN EVERY HOME AND PROPERTY



Multiple entry modes

Works with PIN codes, bluetooth keys on smartphone, and emergency physical keys.



Mobile app-enabled

Grant access to your home when you're away, and set duration of PIN codes or bluetooth keys.



Works offline

Our encryption technology allows your lock to work without internet connectivity, increasing reliability against WiFi hacking.



Keyless convenience

No more hassle of locating forgotten keys and no more frustration of accidental lock-outs.



View access logs

Monitor when visitors enter your home for peace of mind. PIN code access logs are updated whenever the master owner uses a bluetooth key.



Automate Check-in

Airbnb hosts can sync listing calendars with their igloohome account so that PIN codes are automatically created for guests.

* Fees apply

* App interface, product appearance, and specifications are subject to continuous enhancements or modifications.



App- Controlled

To get started, download HÄFELE lock app from the App Store or Google Play store.

Register for an account and follow instructions on screen to pair device.


For best results, lock should be within 3m (10ft) bluetooth range to your smart device. HÄFELE app requires mobile internet connection.



SMART MORTISE LOCK

Art. No 912.05.384 | MYR 2,500

Superior security and cutting-edge technology now come in a premium form - the HÄFELE Smart Mortise Lock. Manufactured in the best factories in Korea, it is outstanding in quality, and comes packed with smart features.



Drawing dimension in mm



*Price is subject to change without prior notice *Price listed is exclusive of sales and service tax (SST)

MORTISE FEATURES



Security Lockout Mode
If an invalid PIN code is entered 5 times, the keybox will stop operating for 1 minute.



Low battery Warning
A beep sound and red flashing keypad indicates when battery power runs slow.



Anti-Panic Exit System
Allows you to open the door by simply pulling down on the lock handle from inside, without twisting a separate thumbturn.



Electro Static Discharge Prevention
The circuit board is protected from the damages incurred from a high voltage surge.



Tamper Alarm
The lock will sound if intruders attempt to pry the lock from the door.



Emergency Power Supply
When lock alkaline battery are flat, an external DC9V alkaline battery can be used to jump-start the keybox.



Fire Alarm
When the sensor detects a temperature between 50-70 degree celsius inside the house, the Mortise will unlock automatically.



Volume Adjusting
Select the volume of the lock that suits your needs.



Sensor Re-Lock
The lock will re-lock when the door is closed.

Specifications

| | |
|-----------------------|--|
| Door compatibility | |
| Door thickness | 40mm to 60mm |
| Type of door | Wooden doors (right / left-hand compatible) |
| Dimensions | |
| Outer body | 80 x 303 x 17.8(mm) |
| Inner body | 79.8 x 302.4 x 26(mm) |
| Weight | 1.97kg |
| Material | |
| Outer body | Al, ABS |
| Inner body | Al, Zn, ABS |
| Operation method | PIN code, Bluetooth Key, Smart sticker, Emergency physical key |
| Colour | Black |
| Operation temperature | ~20°C~50°C |
| Emergency power | DC9V Alkaline battery (not included) |
| Power | 4 AA Alkaline battery |
| Alkaline battery life | Up to 1 year |
| Usage | To be installed at sheltered areas |

Mode of access



Bluetooth



Smart card



Password




Mechanical key



SMART **KEYBOX**

Art. No 912.05.381 | MYR 1,100

If door alteration is not an option, the HÄFELE Smart Keybox is the best choice. No installation is required - deploy the Keybox with no fuss at all. Store keys or keycards in it, and grant access via our igloohome mobile app.



Drawing dimension in mm



*Price is subject to change without prior notice *Price listed is exclusive of sales and service tax (SST)

KEYBOX FEATURES



No installation woes

Secure the Keybox to a railing via the shackle or mount it onto a wall via the 4 screwholes behind.



Emergency Power Supply

When the lock batteries are flat, an external DC9V alkaline battery can be used to jump-start the lock.



Decoy Security Code

Enter random digits before your password to reduce risk of intruders checking fingerprints.



Low battery Warning

A beep sound and red flashing keypad indicates when battery power runs slow.



Security Lockout Mode

If an invalid PIN code is entered 5 times, the keybox will stop operating for 1 minute.



Stores the essentials

Holds up to 6 physical keys or 7 keycards. Keep a SIM card, a transport card and more for your guest in the Keybox.

Specifications

| | |
|----------------------------|--|
| Inner dimension of shackle | 1.1(W) x 1.8(H) In |
| Inner storage of shackle | 3.3(W) x 2.1(H) x 0.5(D) In |
| Weight | 1.5kg(3.3 lbs) |
| Material | Zinc alloy, steel, silicon rubber |
| Operation method | PIN code, bluetooth |
| Auto-relock | After 30 seconds |
| Emergency power | DC9V Alkaline battery (not included) |
| Power | 4 AAA Alkaline battery |
| Alkaline battery life | Up to 1 year |
| Usage | To be used at sheltered areas |
| Temperature tolerance | Advised to use above - 30 degs celsius |

Mode of access



Bluetooth



Password



A woman and a young girl are hugging on a wooden porch. The woman is sitting on the ground, and the girl is sitting on her lap. They are both smiling and looking at each other. In the background, there is a white door with a Häfele smart lock installed on it. The lock is black and has a digital display and a keypad.

WARRANTY OVERVIEW

Häfele's smart digital locks are made with the most advanced technologies. Before being launched onto the market, the products must pass strict quality tests by Häfele and independent quality organizations in the countries of origin as well as Malaysia.

They also come with a 2 years warranty term to give you a peace of mind during use.



OPTIONAL ACCESSORIES

1. Smart card

Art. No 917.80.781 | MYR 18

2. Smart key tag

Art. No 917.80.783 | MYR 18

3. Smart sticker

Art. No 917.80.780 | MYR 18

4. Remote control

Art. No 917.80.782 | MYR 220

5. Mechanical key

6. Spacer

2 mm - 912.05.542 | MYR 10

3mm - 912.05.543 | MYR 14

4mm - 912.05.544 | MYR 18

9. Strike plate for KS mortise 240mm 2B

EL9500

Art. No 911.38.417 | MYR 35

7. Mortise

EL7700 & EL7200

(Big) Art. No 912.05.709 | MYR 350

**Refer to technical drawing at Pg 10*

(Small) Art. No 912.05.708 | MYR 280

EL8000 & EL9000

(Small) Art. No 912.05.610 | MYR 280

8. Forend & strike plate 240mm

Smart mortise lock

Art. No 911.38.401 | MYR 65

EL7700

Art. No 911.38.416 | MYR 65









Häfele Malaysia Sdn Bhd

KL Head Office

No. 18, Jalan Juruhebah U1/50 Seksyen U1, Temasya Industrial Park, 40150 Shah Alam, Selangor, Malaysia
Phone: +603 5568 2526 | Fax: +603 5569 3526 | Email: info@hafele.com.my

KL Design Centre

No. 42, Jalan SS21/1, Damansara Utama, 47400 Petaling Jaya, Selangor, Malaysia
Phone: +603-7733 4526 / 7733 6526 | Fax: +603 7733 3526 | E-mail: info@hafele.com.my

hafele.com.my
hafelehome.com.my



Scan for copy

732.04.015-April 2020